

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005					
						Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
Avalon	1MZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 5.0qts	1994-1998: 9.8qts: EG 1999-2003: 9.8qts: LLC 2004-2005: 9.8qts: S-LLC		T-IV 3.7qts		T-IV 0.9qts
	2GR-FE				5W-30 <sup>1</sup> 6.4qts	2005: 8.8qts: S-LLC		ATF WS 3.7qts		
Camry	3MZ-FE				5W-30 <sup>1</sup> 5.0qts	2004-2005: 9.8qts: S-LLC	API GL-5 75W-90 2.6qts	T-IV 3.7qts		
	1MZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 5.0qts	1994-1998: 9.8qts: EG 1999-2003: 9.8qts: LLC 2004-2005: 9.8qts: S-LLC	API GL-5 75W-90 2.6qts	T-IV 3.7qts		
	2AZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.0qts	5W-30 <sup>1</sup> 4.0qts	1902-2003: 6.6qts: LLC 2004-2005: 6.6qts: S-LLC	API GL-5 75W-90 2.6qts	T-IV 2002: 4.1qts 2003-2005: 3.7qts	API GL-5 75W-90 1.0qts	API GL-5 75W-90 1.0qts
	5S-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.8qts		1994-1998: 6.3qts: EG 1999-2001: 7.3qts: LLC	API GL-5 75W-90 1994-1997: 2.7qts 1998-2001: 2.3qts	Dexron III 1994-1995: 4.7qts 1996-2001: 2.6qts		Dexron III 1.7qts
Celica	7A-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts			1994-1997: M/T: 6.4qts; A/T: 7.0qts: EG	API GL-5 75W-90 2.0qts	Dexron III 3.3qts		
	5S-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.1qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.1qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.1qts		1994-1998: M/T: 7.1qts; A/T: 7.5qts: EG 1999: M/T: 7.1qts; A/T: 7.5qts: LLC	API GL-5 75W-90 1994-1997: 2.7qts 1998-1999: 2.3qts	Dexron III 2.6qts		Dexron III 1.7qts
	1ZZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 3.9qts	2000-2003: 6.0qts: LLC 2004-2005: 6.0qts: S-LLC	API GL-5 75W-90 2.0qts	T-IV 2000-2003: 2.2qts 2004 3.1qts		
	2ZZ-GE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.8qts	5W-30 <sup>1</sup> 4.8qts	2000-2003: 6.2qts: LLC 2004-2005: 6.2qts: S-LLC	API GL-5 75W-90 2.4qts	T-IV 2000-2002: 4.2qts 2003-2005: 3.7qts		

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005	Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
Corolla	4A-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.2qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.2qts			1994-1997: ND Radiator: EG M/T 5.6qts A/T 6.2qts 1994-1997: Harrison Radiator: EG 6.3qts	API GL-5 75W-90 1994-1995: 2.7qts 1996-1997: 2.0qts			Dexron III 3-speed Trans Only 1.5qts
	7A-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts			1994-1997: ND Radiator: EG M/T 5.6qts A/T 6.2qts 1994-1997: Harrison Radiator: EG 6.3qts	API GL-5 75W-90 2.0qts	Dexron III 4-speed: 3.3qts 3-speed: 2.6qts		Dexron III 3-speed Trans Only 1.5qts
	1ZZ-FE		5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 3.9qts	1998: 6.0qts: EG 1999-2002: 6.0qts: LLC 2003-2004: 6.9qts: LLC 2005: 6.9qts: S-LLC <sup>3</sup>	API GL-5 75W-90 2.0qts	Dexron III 4-speed: 3.3qts 3-speed: 2.6qts		Dexron III 3-speed Trans Only 1.5qts
	2ZZ-GE				5W-30 <sup>1</sup> 4.8qts	2003-2004: 7.0qts: LLC 2005: 7.0qts: S-LLC <sup>3</sup>	API GL-5 75W-90 2.4qts	T-IV 3.2qts		
Echo	1NZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 3.9qts	2000-2003: M/T 4.7qts; A/T 4.5qts 2004-2005: M/T 4.7qts; A/T 4.5qts: S-LLC	API GL-5 75W-90 2.0qts	T-IV 3.1qts		
Highlander	2AZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.0qts	5W-30 <sup>1</sup> 5.0qts	2001-2003: 6.8qts: LLC 2004-2005: w/rear heat: 8.1qts; w/o rear heat: 6.8qts: S-LLC		T-IV 2001-2002: 2WD: 3.5qts 4WD: 4.1qts 2003-2005: 3.7qts	API GL-5 80W-90 1.0qts	API GL-5 80W-90 4WD: 1.0qts
	1MZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 5.0qts	2001-2003: 9.9qts: LLC		T-IV 2001-2002: 2WD: 3.5qts; 4WD: 4.1qts 2003-2005: 3.7qts	API GL-5 80W-90 1.0qts	API GL-5 80W-90 4WD: 1.0qts
	3MZ-FE				5W-30 <sup>1</sup> 5.0qts	2004-2005: w/rear heat: 11.3qts (12qts <sup>4</sup> ) w/o rear heat 9.9qts, (10.7qts <sup>4</sup> ) S-LLC		T-IV 3.7qts	API GL-5 80W-90 1.0qts	API GL-5 80W-90 1.0qts
Land Cruiser	1FZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 7.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 7.8qts			1994-1997: w/ rear heat: 14.2qts; w/o rear heat: 13.2qts: EG		Dexron III 2.0qts	API GL-5 75W-90 1.8qts	Front API GL-5 75W-90 w/ frt lock: 2.8qts; w/o frt lock: 3.0qts; Rear 3.4qts

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005					
						Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
Land Cruiser	2UZ-FE		5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 7.2qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 7.2qts	5W-30 <sup>1</sup> 7.2qts	1998: w/rear heater: 16.3qts; w/o rear heater: 15.5qts; EG 1999-2003: w/rear heater: 16.3qts; w/o rear heater: 15.5qts; LLC 2004-2005: w/rear heater: 16.3qts; w/o rear heater: 15.5qts; S-LLC		Dexron III 1998-1999: 3.7qts 2000-2002: 2.1qts  T-IV 2003-2005: 3.2qts	API GL-5 75W-90 1.4qts	Front API GL-5 75W-90 1.8qts Rear API GL-5 75W-90 3.5qts
MR2	5S-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> '94: 4.5qts '95: 4.1qts				1994-1995: 13.7qts; EG	API GL-5 75W-90 2.7qts	Dexron III 3.5qts		
	3S-GTE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.1qts				1994-1995: 14.4qts; EG	API GL-5 75W-90 w/ LSD: 4.1qts w/o LSD: 4.4qts	Dexron III 3.5qts		
MR2 Spyder	1ZZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 3.9qts	2000-2003: 11.0qts; LLC 2004-2005: 11.0qts; S-LLC	API GL-5 75W-90 Sequential M/T Fluid: w/ LSD: 2.2qts; w/o LSD: 2.4qt			
Matrix	1ZZ-FE				5W-30 <sup>1</sup> 3.9qts	2003-2004: 6.9qts; LLC 2005: 6.9qts; S-LLC <sup>3</sup>	API GL-5 75W-90 5-speed: 2.0qts 6-speed: 2.4qts	T-IV 2WD: 3.3qts 4WD: 3.1qts	API GL-5 75W-90 0.8qts	API GL-5 75W-90 0.5qts
	2ZZ-GE				5W-30 <sup>1</sup> 4.8qts	2003-2004: 7.0qts; LLC 2005: 7.0qts; S-LLC <sup>3</sup>	API GL-5 75W-90 5-speed: 2.0qts 6-speed: 2.4qts	T-IV 2003: 4.3qts 2004-2005: 3.2qts	API GL-5 85W-90 0.8qts	API GL-5 85W-90 0.5qts
Paseo	5E-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.0qts			1994-1997: M/T 5.3qts; A/T 5.7qts; EG	API GL-5 75W-90 1994-1995: 2.5qts 1996-1997: 2.0qts	Dexron III 3.3qts		
Prius	1NZ-FXE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.9qts	5W-30 <sup>1</sup> 3.9qts	2001-2003: Eng 5.2qts; Inv 2.7qts; LLC 2004-2005: Eng 9.0qts; Inv 2.9qts; S-LLC		T-IV 2001-2003: 4.9qts ATF WS 2004-2005: 3.8qts		
RAV4	3S-FE		5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.3qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.3qts		1996-1998: M/T 8.5qts; A/T 8.1qts; EG 1999-2000: M/T 8.5qts; A/T 8.1qts; LLC	API GL-5 75W-90 2WD: 4.1qts 4WD: 5.3qts	Dexron III 2WD: 3.5qts T-IV 1996-2000: 4WD: 3.5qts 2001-2002: 4WD: 4.1qts	API GL-5 75W-90 0.7qts	API GL-5 80W-90 1.0qts

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005					
						Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
RAV4	1AZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.6qts	5W-30 <sup>1</sup> 4.6qts	2001-2003: M/T 6.7qts; A/T 6.6qts: LLC	API GL-5 75W-90 2WD: 2.6qts 4WD: 3.6qts	T-IV 2WD: 3.5qts 4WD: 4.1qts	API GL-5 75W-90 1.0qt	API GL-5 75W-90 1.0qt
	2AZ-FE				5W-30 <sup>1</sup> 4.0qts	2004-2005: M/T 7.0qts; A/T 7.2qts: S-LLC	API GL-5 75W-90 2.6qts	T-IV 2002: 4.1qts 2003-2005: 3.7qts	API GL-5 75W-90 1.0qts	API GL-5 75W-90 1.0qts
	EV					1998-2003: 3.1qts: LLC		Dexron III 1.7qts		
Sequoia	2UZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 6.5qts	5W-30 <sup>1</sup> 6.5qts	2001-2003: w/ rear heater: 14.1qts; w/o rear heater: 12.4qts: LLC 2004-2005: w/ rear heater: 14.1qts; w/o rear heater 12.4qts: S-LLC		2001-2002: Dexron III 2.1qts 2003-2004: T-IV 2.1qts 2005: ATF WS 3.2qts	API GL-5 75W-90 1.3qts	Front API GL-5 75W-90 1.2qts Rear Synthetic API GL-5 75W-140 2WD: 4.1qts 4WD: 4.0qts
Sienna	1MZ-FE		5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 5.0qts	1998: 11.0qts: EG 1999-2003: 11.0qts: LLC		Dexron III 5.0qts		
	3MZ-FE				5W-30 <sup>1</sup> 5.0qts	2004: 12.4qts: LLC 2005: 12.4qts: S-LLC <sup>3</sup>		T-IV 3.8qts	API GL-5 80W-90 1.0qts	API GL-5 80W-90 1.0qts
Solara	5S-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.8qts		1999-2001: 7.3qts: LLC	API GL-5 75W-90 2.3qts	Dexron III 2.6qts		Dexron III 1.7qts
	2AZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.0qts	5W-30 <sup>1</sup> 4.0qts	2002-2003: 7.0qts: LLC 2004-2005: 7.0qts: S-LLC	API GL-5 75W-90 2WD: 2.6qts 4WD: 3.6qts	T-IV 2002: 4.1qts 2003-2005: 3.7qts	API GL-5 75W-90 1.0qts	API GL-5 75W-90 1.0qts
	1MZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.0qts	5W-30 <sup>1</sup> 5.0qts	1999-2003: 9.7qts: LLC	API GL-5 75W-90 2.6qts	Dexron III 5.0qts		
	3MZ-FE				5W-30 <sup>1</sup> 5.0qts	2004-2005: 9.8qts: S-LLC	API GL-5 75W-90 2.6qts	T-IV 3.7qts		

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005	Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90 Esso Dexron D-21065 Sequential M/T	Dexron III T-IV ATF WS (World Standard)	API GL-5 75W-90 Dexron III T-IV	API G-5 75W-90 API G-5 80W-90 Synthetic API GL-5 75W-140
Supra	2JZ-GE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts			1994-1998: A/T 8.8qts; M/T 7.7qts: EG	API GL-5 75W-90 5-speed: 2.7qts Esso ATF Dexron D-21065 6-speed: 1.9qts	Dexron III 1.7qts		API GL-5 75W-90 1.4qts
Supra Turbo	2JZ-GTE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.3qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.3qts			1994-1996: A/T 9.4qts; M/T 9.3qts 1997-1998: A/T 9.8qts; M/T 10.0qts: EG	API GL-5 75W-90 5-speed: 2.7qts Esso ATF Dexron D-21065 6-speed: 1.9qts	Dexron III 1.7qts		API GL-5 75W-90 1.0qts
T-100	3RZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.8qts			1994-1998: 2WD: M/T 9.2qts; A/T 9.5qts 4WD: M/T 10.6qts; A/T 10.8qts	API GL-5 75W-90 2.7qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.2qts	Front API GL-5 75W-90 2.0qts Rear API GL-5 80W-90 2.5qts
	3VZ-E	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2WD: 5.6qts 4WD: 4.8qts				1994: 10.6qts: EG	API GL-5 75W-90 3.2qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.2qts	Front API GL-5 75W-90 w/o ADD: 1.7qts w/ADD: 2.0qts Rear API GL-5 80W-90 2.2qts
	5VZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts			1995-1998: 10.6qts: EG	API GL-5 75W-90 2WD: 2.7qts 4WD: 2.3qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.2qts	Front API GL-5 75W-90 2.0qts Rear API GL-5 80W-90 2WD: 2.5qts 4WD: 3.1qts
Tacoma	2RZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.8qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.8qts	5W-30 <sup>1</sup> 5.8qts	1995-1998: A/T 8.2qts; M/T 8.5qts: EG 1999-2003: A/T 8.2qts; M/T 8.5qts: LLC 2004: A/T 8.2qts; M/T 8.5qts: S-LLC	API GL-5 75W-90 2.7qts	Dexron III 2.5qts		API GL-5 75W-90 1.4qts
	3RZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts	5W-30 <sup>1</sup> 5.7qts	1995-1998: 8.8qts: EG 1999-2003: 8.8qts: LLC 2004: 8.8qts: S-LLC	API GL-5 75W-90 2.6qts	1995-2002: Dexron III 2.6qts 2003-2005: T-IV 2.6qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 80W-90 SWB: 2.8qts LWB w/ lock: 3.1qts LWB w/o lock: 2.2qts

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005	Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
Tacoma	5VZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2WD: 5.7qts 4WD: 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2WD: 5.7qts 4WD: 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2WD: 5.7qts 4WD: 5.5qts	5W-30 <sup>1</sup> 2WD: 5.7qts 4WD: 5.5qts	1995-1998: 10.5qts: EG 1999-2003: 10.5qts: LLC 2004: 10.5qts: S-LLC	API GL-5 75W-90 2WD: 2.7qts 4WD: 2.3qts	1995-2002: Dexron III 2003-2005: T-IV 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 80W-90 SWB: 2.8qts LWB w/ lock: 3.1qts LWB w/o lock: 2.6qts
	2TR-FE				5W-30 <sup>1</sup> 6.1qts	2005: M/T: 9.2qts; A/T: 9.1qts: S-LLC	API GL-5 75W-90 2WD: 2.7qts 4WD: 2.3qts	T-IV 2.1qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.6qts Rear Hypoid API GL-5 w/LSD 80W-90 3.0qts
	1GR-FE				5W-30 <sup>1</sup> 2WD: 4.8qts 4WD: 5.5qts	2005: M/T: 10.3qts; A/T: 10.1qts: S-LLC	API GL-5 75W-90 1.9qts	ATF WS 3.2qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.6qts Rear Hypoid API GL-5 w/LSD 80W-90 3.0qts
Tercel	3E-E	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2.9qts				1994: M/T: 5.2qts; A/T: 5.7qts: EG	API GL-5 75W-90 2.5qts	Dexron II 2.6qts		
	5E-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.0qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 3.0qts			1995-1998: M/T: 5.2qts; A/T: 5.6qts: EG 1999: M/T: 5.2qts; A/T: 5.6qts: LLC	API GL-5 75W-90 1995: 2.5qts 1996-1998: 2.0qts	Dexron III 3-speed: 2.5qts 4-speed: 3.3qts		Dexron III 3-speed Trans Only 1.5qts
Truck	22R-E	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.5qts				1994-1995: 2WD: 8.9qts; 4WD M/T: 8.9qts; A/T 9.6qts: EG	API GL-5 75W-90 2WD: 2.5qts 4WD: 4.1qts	Dexron III 2WD: 2.5qts 4WD: 2.1qts	API GL-5 75W-90 1.2qts	Front API GL-5 75W-90 w/ ADD: 2.0qts w/o ADD: 1.7qts Rear 2WD: 1.9qts 4WD: 2.3qts
	3VZ-E	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 2WD: 4.5qts 4WD: 4.8qts				1994-1995: 10.6qts: EG	API GL-5 75W-90 3.2qts	Dexron III 4.8qts	API GL-5 75W-90 M/T: 1.2qts Dexron III A/T: 0.8qts	Front API GL-5 75W-90 w/ ADD: 2.0 qts w/o ADD: 1.7qts Rear API GL-5 80W-90 Rear: 2.3qts

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package



# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005	Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90 Esso Dexron D-21065 Sequential M/T	Dexron III T-IV ATF WS (World Standard)	API GL-5 75W-90 Dexron III T-IV	API G-5 75W-90 API G-5 80W-90 Synthetic API GL-5 75W-140
Tundra	5VZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 5.5qts	2000-2003: 10.5qts: LLC 2004: 10.5qts: S-LLC	API GL-5 75W-90 2WD: 2.7qts 4WD: 2.3qts	2000-2002: Dexron III 2003-2005: T-IV 2.1qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 80W-90 2WD: 4.0qts 4WD: 3.7qts 2WD w/LSD: 3.3qts 4WD w/LSD: 3.1qts
	2UZ-FE			5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 6.5qts	5W-30 <sup>1</sup> 6.5qts	2000-2003: 12.3qts: LLC 2004-2005: 12.3qts: S-LLC		2000-2002: Dexron III 2.1qts 2003-2004: T-IV 2.1qts 2005: ATF WS 3.2qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 75W-140 API GL-5 80W-90: LSD 2WD: 4.0qts 4WD: 3.7qts 2WD w/LSD: 3.3qts 4WD 3.1qts
	1GR-FE				5W-30 <sup>1</sup> 4.8qts	2005: M/T: 11.0qts; A/T: 10.9qts: S-LLC	API GL-5 75W-90 1.9qts	ATF WS 3.2qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 75W-140 2WD: 4.0qts 4WD: 3.7qts Double Cab: 4.2qts API GL-5 80W-90 2WD w/LSD: 3.3qts 4WD w/LSD: 3.0qts Double Cab w/LSD: 3.5qts
4-Runner	22R-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.5qts				1994-1995: M/T 8.9qts; A/T 9.6qts: EG	API GL-5 75W-90 4.1qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.2qts	Front API GL-5 75W-90 w/ ADD: 2.0qts w/o ADD: 1.7qts Rear 2WD: 1.9qts 4WD: 2.3qts
	3RZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.7qts		1995-1998: w/ rear heater: 11.6qts; w/o rear heater: 10.6qts 1999-2001: w/ rear heater: 11.6qts; w/o rear heater: 10.6qts	API GL-5 75W90 2.7qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 80W-90 2WD: 2.9qts 4WD w/rear lock: 2.9qts 4WD w/o rear lock: 2.6qts

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package

# FLUID SPECS MY 1994 - 2005

Toyota



Scion



Last Updated: 09/21/2011

Vehicle Model	Engine Type	Engine Oil And Year Model				Coolant	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		1994-1995	1996-1998	1999-2002	2003-2005					
		1994-1995	1996-1998	1999-2002	2003-2005	Ethylene-Glycol Antifreeze (EG) Toyota Long Life Coolant (LLC) Toyota Super Long Life Coolant (S-LLC)	API GL-5 75W-90  Esso Dexron D-21065  Sequential M/T	Dexron III  T-IV  ATF WS (World Standard)	API GL-5 75W-90  Dexron III  T-IV	API G-5 75W-90  API G-5 80W-90  Synthetic API GL-5 75W-140
4-Runner	3VZ-E	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 4.8qts				1994-1995: 10.6qts: EG	API GL-5 75W-90 3.2qts	Dexron III 4.8qts	API GL-5 75W-90 M/T: 1.2qts Dexron III A/T: 0.8qts	Front API GL-5 75W-90 w/ ADD: 2.0 qts w/o ADD: 1.7qts Rear API GL-5 80W-90 2.3qts
	5VZ-FE	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 10W-30 <sup>2</sup> 5.5qts	5W-30 <sup>1</sup> 5.5qts	1994-1998: w/ rear heater: 9.5qts; w/o rear heater: 8.5qts 1999-2002: w/ rear heater: 9.5qts; w/o rear heater: 8.5qts	API GL-5 75W-90 2.3qts	Dexron III 2WD: 1.7qts 4WD: 2.1qts	API GL-5 75W-90 1.1qts	Front API GL-5 75W-90 1.2qts Rear API GL-5 80W-90 Rear SWB: 2.8qts LWB w/lock: 3.1qts LWB w/o lock: 2.6qts
	1GR-FE				5W-30 <sup>1</sup> 5.5qts	2003: 10.4qts: LLC 2004-2005: 10.4qts: S-LLC		T-IV 2.1qts	API GL-5 75W-90 1.5 qts	API GL-5 75W-90 Front: 1.5 qts Rear: 3.2 qts
	2UZ-FE				5W-30 <sup>1</sup> 6.5qts	2003: 13.0qts: LLC 2004-2005: 13.0qts: S-LLC		T-IV 3.2qts	API GL-5 75W-90 1.5 qts	API GL-5 75W-90 Front: 1.5 qts Rear: 3.2 qts
Scion xA	1NZ-FE				5W-30 <sup>1</sup> 3.9qts	2004-2005: M/T 4.7qts; A/T 4.5qts: S-LLC	API GL-5 75W-90 2.0qts	T-IV 3.1qts		
Scion xB	1NZ-FE				5W-30 <sup>1</sup> 3.9qts	2004-2005: M/T 4.7qts; A/T 4.5qts: S-LLC	API GL-5 75W-90 2.0qts	T-IV 3.1qts		
Scion tC	2AZ-FE				5W-30 4.0qt.	2005: SLLC M/T 7.2qt.; A/T 7.1qt.	API GL-4 or GL-5 75W-90 E350: 2.6qt.	2005: ATF T-IV U241E: 3.7qt.		

<sup>1</sup> -35F to 50F

<sup>2</sup> 0F to 150F

<sup>3</sup> Corolla, Matrix and Sienna did not receive S-LLC until '05 MY

<sup>4</sup> Towing Package